PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



-INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

/00987 .05.99	DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT SE). Published
.05.99 US	DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT SE). Published Without international search report and to be republished
	Without international search report and to be republished
	the state of the state of the
S N.V dhovei	1
gatan 7	
.–5656 olstlaar ; Prof	
L-5650	
ol;	–5656 stlaan Prof

(57) Abstract

The invention relates to a system for managing data related to multimedia carriers such as CDs. The system comprises a player which maintains a local database containing data related to multimedia carriers in a collection. After insertion of a multimedia carrier, it is identified by the player which then searches the local database for data related to the multimedia carrier. If no data is found, the player contacts a central database in order to download data related to the multimedia carrier and store it in the local database.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziłand
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

WO 99/63525 PCT/IB99/00987

A system for obtaining data related to multimedia carriers.

FIELD OF THE INVENTION

5

10

15

20

25

The invention relates to a system for obtaining data related to multimedia carriers, comprising an apparatus for playing multimedia carriers which includes storage means for storing data related to the multimedia carriers and identification means for determining an identification of a respective one of the multimedia carriers. CD/DVD-players or video cassette recorders (VCR) are examples of an apparatus for playing multimedia carriers.

The invention also relates to an apparatus for playing multimedia carriers which includes storage means for storing data related to the multimedia carriers and identification means for determining an identification of a respective one of the multimedia carriers.

The invention also relates to a database server comprising storage means for storing data related to multimedia carriers.

BACKGROUND OF THE INVENTION

A CD player is known which comprises storage means for storing a database of play-lists of a collection of audio CDs. This database is used by the 'favorite track selection' (FTS) system. The CD player comprises identification means for uniquely identifying a CD, e.g. by way of its UPC code (see IEC Compact disc digital audio system 1987). After entering a play-list for a CD, a user of the known CD player has the option to store the play-list permanently in the storage means. In that case, the CD player reads the UPC code from the CD and stores it together with the play-list. After having entered the same CD a next time, the user can obtain the play-list from the FTS memory automatically. In that case the CD player reads the UPC code from the CD and uses it as a key to find the play list in the FTS memory. The user needs to enter favorite tracks from a large number of CDs only once, and there is no need to identify the CD each time before storing or retrieving the play-list.

OBJECT AND SUMMARY OF THE INVENTION

It is an object of the invention to provide further options for obtaining data related to a collection of multimedia carriers. In order to achieve this object, the system

according to the invention is characterized in that it also comprises a database server which is connectable to the apparatus, the apparatus also comprising communication means for uploading the identification of the respective multimedia carrier to the database server, the database server being arranged to use said identification as a database key for finding data related to the respective multimedia carrier and to send the data to the apparatus. The storage means in the system according to the invention contain a local database of data related to the multimedia carrier, which data could comprise track names, names of artists, lyrics etc. After insertion of a multimedia carrier, the apparatus identifies it and searches the local database for data related to the multimedia carrier. If the local database does not contain any data related to the multimedia carrier, the apparatus contacts a central database by way of the communication means, e.g. via a telephone network. The identification of the multimedia carrier is used as a key to search the central database. If the central database contains data related to the multimedia carrier, the data are downloaded into the local database of the apparatus, thus evading the need to enter these data manually. If the central database does not contain the data, other remote databases could be contacted.

5

10

15

20

25

30

The apparatus for playing multimedia carriers in a further embodiment according to the invention is characterized in that the apparatus also comprises presentation means for presenting the data in the storage means on a display screen. The display screen could be a part of the apparatus, or the apparatus could have an interface to a distinct further apparatus comprising a display screen. In an advantageous embodiment this further apparatus is a widely available television receiver. Preferably, the apparatus comprises interaction means for browsing through the local database and selecting data related to a particular multimedia carrier, which is further referred to as the selected multimedia carrier. If the presentation means present data related to only one multimedia carrier at a time, said multimedia carrier could be considered the selected multimedia carrier. Otherwise, selecting a multimedia carrier could be achieved by highlighting data or by any other well known method. The interaction means could enable a user to find multimedia carriers using various search criteria, such as genre, mood, artist etc., which criteria can be composed by menu selections using, for example, a remote control.

Multimedia carriers can be identified in various ways. In a preferred embodiment the multimedia carrier contains a code which uniquely identifies the carrier, such as the UPC code of optical discs. Alternatively, a signature can be generated, e.g. by computing a checksum of a predetermined part of the data contained in the carrier in a predetermined way. A code could also be provided by the publisher and entered manually by

the user, e.g. in the case of a prerecorded video cassette where computing a checksum might be problematic. In that case the identification means are merely input means for entering the identification code.

In a preferred embodiment the apparatus has an automatic mode in which mode data related to a multimedia carrier is download automatically if the local database does not contain such data. In a further embodiment this mode can be disabled to avoid automatic downloading of data concerning every multimedia carrier inserted into the apparatus, e.g. when the multimedia carrier is not a permanent member of the user's collection.

The system according to the invention is particularly convenient for optical disc players, but could also be used for video cassettes etc. Even data related to books in a book collection could be obtained using a system according to the invention, the apparatus not so much 'playing' the book but merely managing the local database. In a more advanced embodiment, playing a book could mean reading the book to the user by means of an automatic text-to-speech system.

These and other aspects of the invention will be apparent from and elucidated with reference to the embodiments described hereinafter.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a diagram of a system according to the invention, and Figure 2 shows a diagram of an apparatus according to the invention.

DESCRIPTION OF EMBODIMENTS

5

10

15

20

25

30

Figure 1 shows a diagram of a system according to the invention, comprising a CD player 3 as an apparatus for playing multimedia carriers. It can be connected to a central database server 2 via a cable network 1. De CD player 3 comprises or has access to storage means 4 and is connected to a television receiver 5. The storage means 4 contain a local database of data related to CDs, which data comprise track names, names of artists, lyrics etc. After insertion of a CD 6, the CD player 3 identifies the CD 6 by reading its UPC code and searches the local database in the storage means 4 for data related to the CD 6. If the local database does not contain any data related to the CD 6, the apparatus contacts the central database server 2. The UPC code of the CD 6 is used as a key to search the central database. If the central database contains data related to the CD 6, the data are downloaded into the storage means 4 via the cable network 1. A next time the same CD 6 is inserted into the CD player 3, the data related to the CD 6 is already present in the local database and hence need not be

4

downloaded again from the central database server 2. In this way the system according to the invention provides an easy way of obtaining information about the CDs in one's CD collection. Each time a new CD is purchased, inserting the new CD into the CD player 3 suffices to acquire useful information about the new CD. Optionally, this function can be turned off to avoid automatic downloading of information about a CD which is not a permanent member of one's CD collection. The address of the central database server is stored in a non-volatile memory (not shown) in the CD player 3. Optionally, addresses of multiple database servers could be stored and the user could be enabled to add or remove addresses from this list.

5

10

15

20

25

30

The data in the storage means 4 can be inspected by a user via the television receiver 5. Browsing through the data is possible by way of a remote control (not shown) of the CD player 3, e.g. by simply traversing the list of CDs using up/down buttons or, in a more advanced fashion, by using various search criteria, such as genre, mood, artist etc., which criteria can be composed by menu selections. Such menu selections can be made in various well known ways, e.g. using up/down buttons and a confirmation button.

Instead of being connectable to the television receiver 5, the CD player 3 itself could comprise display means for presenting the data in the storage means 4. A combination of these two options could also be used.

Figure 2 shows a diagram of a CD player as an example of the apparatus according to the invention. The CD player 3 comprises the storage means 4, identification means 10, playing means 11, communication means 12, interaction means 14, a micro processor 15 and presentation means 16. The microprocessor 15 communicates with said other parts of the CD player 3. When a CD 6 is inserted into the playing means 11, it is identified by de identification means 10 by reading the UPC code. The code is used as a key to search the storage means 4 for data related to the CD 6. If such data are found in the storage means 4, they are presented on the display screen of the television receiver 5, via the presentation means 16 which constitute an interface to the television receiver 5. The data can be browsed through by means of the interaction means 14. If no data related to the CD 6 are found in the storage means 4, the communication means 12 contact a database server and the UPC code is transmitted as a key for searching said data in the database of the database server. If the data is found at the database server, the data is transmitted to the CD player 3. The communication means 12 are arranged to receive the data from the cable network 1 and store the data in the storage means 4. The data downloaded thus becomes part of the local database and can be

WO 99/63525 PCT/IB99/00987

browsed through by means of the interaction means 14 and the presentation means 16. In addition to textual data, pictures of CD covers and short sound samples could also be stored in the database to further enhance the search facilities. In an alternative embodiment the data is not stored locally, but downloaded each time the data is needed. This has the advantage that the storage means 4 may have a lower capacity, because only a list of the identities of the CDs in the collection need be stored. Even this list could be stored at a central database server, which could be accessed by means of a unique customer identification. However, such approaches have the disadvantage that acceptable access and response times cannot always be guaranteed.

5

10

15

20

25

If the data comprises information which is likely to be updated from time to time, e.g. ratings or reviews, the CD player could be further adapted so as to check regularly whether the data in the local database is still up to date.

All data related to any CD in one's collection could in principle be obtained by downloading from a central database server. However, in practice not every CD will be available from central databases, e.g. when the CD has only regional significance or when the CD is recorded at home. Therefore, the CD player could be extended with input means (not shown) to enter the data into the CD player. These input means could be combined with the interaction means 14, e.g. on a remote control.

Summarizing, the invention relates to a system for managing data related to multimedia carriers such as CDs. The system comprises a player which maintains a local database containing data related to multimedia carriers in a collection. After insertion of a multimedia carrier, it is identified by the player identifies which then searches the local database for data related to the multimedia carrier. If no data is found, the player contacts a central database in order to download data related to the multimedia carrier and store it in the local database.

CLAIMS:

1. A system for obtaining data related to multimedia carriers, comprising an apparatus for playing multimedia carriers which includes storage means for storing data related to the multimedia carriers and identification means for determining an identification of a respective one of the multimedia carriers, **characterized in that** the system also comprises a database server which is connectable to the apparatus, the apparatus also comprising communication means for uploading the identification of the respective multimedia carrier to the database server, the database server being arranged to use said identification as a database key for finding data related to the respective multimedia carrier and send the data to the apparatus.

10

15

5

2. An apparatus for playing multimedia carriers which includes storage means for storing data related to the multimedia carriers and identification means for determining an identification of a respective one of the multimedia carriers, characterized in that the apparatus also comprises communication means for uploading the identification of the respective multimedia carrier to a remote database server and for downloading data related to the respective multimedia carrier from the remote database server.

20

- 3. An apparatus as claimed in Claim 2, characterized in that the apparatus also comprises presentation means for presenting the data in the storage means on a display screen.
- 4. An apparatus as claimed in Claim 3, characterized in that the apparatus also comprises interaction means for browsing through the data in the storage means.
- 5. An apparatus as claimed in Claim 4, characterized in that the interaction means are also arranged to select data related to a selected multimedia carrier.
 - 6. An apparatus as claimed in any one of the Claims 2 to 5, the multimedia carriers comprising an identification code, characterized in that the identification means are

WO 99/63525 PCT/IB99/00987

arranged to read the identification code and the apparatus is arranged to relay the identification code to the remote database server.

- 7. An apparatus as claimed in any one of the Claims 2 to 5, characterized in that
 the identification means are arranged to identify a multimedia carrier comprising multimedia
 information by computing a signature of at least a part of the multimedia information, the
 apparatus being arranged to relay the signature to the remote database server.
- 8. An apparatus as claimed in any one of the Claims 2 to 7, characterized in that
 the apparatus has an automatic mode in which the apparatus is arranged to download data
 related to the respective multimedia carrier automatically, upon identification of said carrier, if
 the storage means do not contain data related to said carrier.
- 9. An apparatus as claimed in Claim 8, characterized in that the apparatus also comprises a control enabling a user to de-activate the automatic mode.
 - 10. A database server comprising storage means for storing data related to multimedia carriers, characterized in that the database server is arranged to receive an identification of a respective one of the multimedia carriers from a client and to use said identification as a database key for finding data related to the respective multimedia carrier ao as to send the data to the client.

20




FIG. 1




FIG. 2

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: G06F 17/30, G11B 27/02	A 3	(11) International Publication Number:	WO 99/63525
G00F 17/30, G11B 27/02	AJ	(43) International Publication Date:	9 December 1999 (09.12.99)

Published

(21) International Application Number: PCT/IB99/00987 (81) Designated States: JP, KR, European patent (AT, BE, CH, CY, DE, DK, ES, EL, ER, GR, GR, TE, TY, MC, NI, DT, DE, DK, ES, EL, ER, GR, GR, TE, TY, MC, NI, DT, DE, DK, ES, EL, ER, GR, GR, TE, TY, MC, NI, DT, DE, DK, ES, EL, ER, GR, GR, TE, TY, MC, NI, DT, DE, DK, ES, EL, ER, GR, GR, TE, TY, MC, NI, DT, TY, MC,

(22) International Filing Date: 31 May 1999 (31.05.99) SE).

09/090,007 2 June 1998 (02.06.98) US With international search report.

(71) Applicant: KONINKLIJKE PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).

(71) Applicant (for SE only): PHILIPS AB [SE/SE]; Kottbygatan 7, Kista, S-164 85 Stockholm (SE).

(72) Inventors: HAAKMA, Reinder; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). ELENBAAS, Jan, H.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). LEE, K., P.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).

(74) Agent: FAESSEN, Louis, M., H.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).

DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).


(88) Date of publication of the international search report:
4 May 2000 (04.05.00)

(54) Title: A SYSTEM FOR OBTAINING DATA RELATED TO MULTIMEDIA CARRIERS

(57) Abstract

(30) Priority Data:

The invention relates to a system for managing data related to multimedia carriers such as CDs. The system comprises a player which maintains a local database containing data related to multimedia carriers in a collection. After insertion of a multimedia carrier, it is identified by the player which then searches the local database for data related to the multimedia carrier. If no data is found, the player contacts a central database in order to download data related to the multimedia carrier and store it in the local database.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

\mathbf{AL}	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΛU	Australia	GA	Gabon	LV	Latvia	\mathbf{SZ}	Swaziland ·
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
\mathbf{BG}	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		2,111,04,041,0
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 99/00987

A. CLAS	SIFICATION OF SUBJECT MATTER		. 1907-1974
IPC7:	G06F 17/30, G11B 27/02 to International Patent Classification (IPC) or to both na	ational classification and IRC	
	DS SEARCHED	trional classification and IFC	reticination of complex company and accompany as reducing any prompt assessment with the special processment we
Minimum d	ocumentation searched (classification system followed by	r classification symbols)	and the second seco
IPC7:	G11B, G06F		
Documenta	tion searched other than minimum documentation to the	extent that such documents are included in	the fields searched
SE,DK,	FI,NO classes as above		
Electronic d	ata base consulted during the international search (name	of data base and, where practicable, search	terms used)
C. DOCU	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.
Х	WO 9705616 A1 (SONY ELECTRONICS	INC.),	1-10
	13 February 1997 (13.02.97), line 28 - page 2, line 11; p	page 2.	
	line 27 - page 3, line 4; pa line 10 - line 15, page 8,	age 4.	
	31; abstract	rine si - page 9, rine	4
	ı 		
P,X	WO 0925260 A1 (THOMSON CONCUMED	ELECTROLITOS TUO	1.10
1,7	WO 9825269 A1 (THOMSON CONSUMER 11 June 1998 (11.06.98), pag	ge 1. line 7 - page 2.	1-10
	line 21; page 5, line 32 - p	page 6, line 11	
Α	US 4872151 A (MICHAEL A. SMITH),	3 October 1989	1-10
	(03.10.89), column 1, line 2	24 - line 30; column 3.	1 10
	line 64 - column 4, line 36,	abstract	

	er documents are listed in the continuation of Box	C. X See patent family annex	(.
"A" docume	categories of cited documents: ant defining the general state of the art which is not considered	"T" later document published after the inte date and not in conflict with the appli	cation but cited to understand
"E" erlier de	particular relevance ocument but published on or after the international filing date	"X" document of particular relevance: the	
cited to	nt which may throw doubts on priority claim(s) or which is establish the publication date of another citation or other	considered novel or cannot be conside step when the document is taken alone	red to involve an inventive
"O" docume	reason (as specified) nt referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the considered to involve an inventive step	when the document is
means "P" docume the prior	ent published prior to the international filing date but later than rity date claimed	combined with one or more other such being obvious to a person skilled in the	e art
A	e actual completion of the international search	"&" document member of the same patent Date of mailing of the international s	
		- 3 000	oaten report
	Jary 2000	2 1. 01. 00	
Swedish I	mailing address of the ISA/ Patent Office	Authorized officer	
	S-102 42 STOCKHOLM	Peder Gjervaldsaeter/MN	
a acommic i	No. +46 8 666 02 86	Telephone No. +46 8 782 25 00	

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 99/00987

	ation). DOCUMENTS CONSIDERED TO BE RELEVANT	
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim N
A	US 5228014 A (STEPHANE M. D'ALAYER DE COSTEMORE D'ARC), 13 July 1993 (13.07.93), column 2, line 5 - line 40, figure 3	1-10
A	EP 0169597 A1 (N.V. PHILIPS' GLOEILAMPENFABRIEKEN), 29 January 1986 (29.01.86), page 1, line 29 - page 2, line 21; page 2, line 34 - page 3, line 4	1-10
	 -	
A	US 5063547 A (PIETER H. CUSTERS ET AL), 5 November 1991 (05.11.91), abstract	1-10
	First man. With fills large city, step case said.	
	A/210 (continuation of second sheet) (July 1992)	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No. 02/12/99 PCT/IB 99/00987

Patent doe cited in seare			Publication date		Patent family member(s)		Publication date
WO 9705	616	A1	13/02/97	AU	700004	В	17/12/98
				AU	6344896	Α	26/02/97
				CA	2227519		13/02/97
				CN	1192285		02/09/98
				EP	0840927		13/05/98
				HK	1007910	Α	00/00/00
Direct resist with more gamp comp space page				US	5751672	Α	12/05/98
WO 9825	269	41	11/06/98	ΑU	7627398	Α	29/06/98
the old projector was told and come come	SSS and that may are up			EP	0941537		15/09/99
US 4872	151 /	4	03/10/89	NON	and and one was made and they also also as the		and the field was fail that such make time and along along along
US 5228	014	4	13/07/93	BE	1003591	Α	28/04/92
EP 0169	597	41	29/01/86	SE	0169597	T3	were word trans from tamp table drive part that their time from
				AT	51460		15/04/90
				CA	1302560		02/06/92
				DD	232572		29/01/86
				ES	544685		16/12/86
				HK	91291		22/11/91
				JP	2571207		16/01/97
				JP	61020282	Α	29/01/86
				KR	9400424	В	20/01/94
				NL	8402095	Α	03/02/86
				US	RE34475	E	14/12/93
				US	4779252	Α	18/10/88
	~			US	5063547	A	05/11/91
US 5063	547	A	05/11/91	AT	51460		15/04/90
				CA	1302560		02/06/92
				DD	232572		29/01/86
				EP	0169597		29/01/86
				SE	0169597		
				ES	544685		16/12/86
				HK	91291		22/11/91
				JP	2571207		16/01/97
				JP	61020282	A	29/01/86
				KR	9400424		20/01/94
				NL	8402095		03/02/86
				US	RE34475		14/12/93
				US	4779252		18/10/88
				DE	3888651		22/09/94
				EP	0322037		28/06/89
				JP	1201886		14/08/89
				KR	9705991	R	22/04/97